Commonwealth of Virginia Department of General Services Division of Consolidated Laboratory Services Richmond, Virginia

TFC Inspection Checklist 1-7-2015

Protocol for the Certification of Laboratories Performing Tuning Fork Certification Testing								
Facility Name: Lab ID:								
Assess	or:	Analyst:		_ Ins	spection Date:			
ATTACHMENTS		 □ Laboratory Equipment List, #6959 or equivalent □ Laboratory Personnel List, #6960 or equivalent □ Laboratory Quality Manual Checklist, #6957 						
Item	Reference	Requirement	Yes	No	Comments			
	EQUIPMENT							
51	Protocol §III.B.5	Does the equipment list provided by the laboratory correspond to the equipment observed to be in use on site?						
52	Protocol §III.B.8	Is documentation of equipment calibration and maintenance available?						
53	Protocol §III.B.8	Does documentation included the dates and types of service performed on each piece of equipment during the past three years?						
	RECORDKEE	PING (GENERAL)						
54	Protocol §III.B.14.a.i	Were tuning fork certification records retained for at least three years?						
55	Protocol §III.B.14.a.iv	Were analyst training records also maintained for a minimum of three years?						
56	Protocol §III.B.13	Were training records, including an initial demonstration of capability, available for each analyst performing tuning fork certification testing?			Note: Not Applicable for technicians employed more than 3 y. Labs only required to keep records 3 y.			
57	Protocol §III.B.4	Did the laboratory have a log of the printed names, initials and signatures of all analysts performing tuning fork certification testing?						
Notes/	Comments							

Document #:6954 Revision: 1

Date Published: 02/03/15 Issuing Authority: Group Manager

tem Reference Requirement Ves No Comments 8 Protocol \$III.B.11.e.i beginning and end of each certification test batch? 9 Protocol \$III.B.11.e.ii beginning and end of each certification test batch? 9 Protocol \$III.B.11.e.ii beginning and end of each certification test batch? 9 Protocol \$III.B.11.e.ii beginning and end of each certification test batch? 10 Protocol \$III.B.11.e.iii beginning and end of each certification? 11 Protocol \$III.B.11.e.iii beginning and end of each certification test batch? 12 Protocol \$III.B.11.e.iv was te temperature of the test environment maintained within the range of 20°C – 30°C? 13 Protocol \$III.B.11.e.v was each tuning fork subjected to a minimum of 2 observations that were averaged to calculate the mph equivalent? 14 Protocol \$III.B.11.e.v were calculations performed accurately? 15 Protocol \$III.B.11.e.v were calculations performed accurately? 16 Protocol \$III.B.11.e.vi directly into a computer program? 17 Were corrections to records documented with a single line through the original entry and dated and initialed by the person who made the		CERTIFICATION RECORDS							
Protocol \$III.B.11.e.i Were the reference tuning forks observed at the beginning and end of each certification test batch? Were the data for the reference tuning forks evaluated to verify that the frequency of oscillation was within ±0.5% of that specified by the manufacturer or the most recent independent certification? Protocol \$III.B.11.e.iii Was the temperature of the test environment recorded at beginning and end of each certification test batch? Protocol \$III.B.11.e.iv Was the temperature of the test environment maintained within the range of 20°C – 30°C? Protocol \$III.B.15.a Nas each tuning fork identified by a serial number or other unique identifier? Was each tuning fork subjected to a minimum of 2 observations that were averaged to calculate the mph equivalent? Protocol \$III.B.11.e.v Were calculations performed accurately? Were all raw data recorded in ink or entered directly into a computer program? Had the analysts initialed and dated each page of their work? Were corrections to records documented with a single line through the original entry and dated and initialed by the person who made the	ecord	s Reviewed	Date	_	Analyst(s)				
Protocol SIII.B.11.e.ii beginning and end of each certification test batch? Were the data for the reference tuning forks evaluated to verify that the frequency of oscillation was within ±0.5% of that specified by the manufacturer or the most recent independent certification? Protocol SIII.B.11.e.iii Protocol SIII.B.11.e.iv Was the temperature of the test environment recorded at beginning and end of each certification test batch? Protocol SIII.B.11.e.iv Was the temperature of the test environment maintained within the range of 20°C – 30°C? Protocol SIII.B.15.a number or other unique identified by a serial number or other unique identifier? Protocol SIII.B.11.e.v Was each tuning fork subjected to a minimum of 2 observations that were averaged to calculate the mph equivalent? Were calculations performed accurately? Were calculations performed accurately? Were all raw data recorded in ink or entered directly into a computer program? Had the analysts initialed and dated each page of their work? Were corrections to records documented with a single line through the original entry and dated and initialed by the person who made the	tem	Reference	Requirement	Yes	No	Comments			
Protocol \$III.B.11.e.ii Protocol \$III.B.11.e.iii Protocol \$III.B.11.e.iii Protocol \$III.B.11.e.iii Protocol \$III.B.11.e.iii Protocol \$III.B.11.e.iv Was the temperature of the test environment recorded at beginning and end of each certification test batch? Was the temperature of the test environment maintained within the range of 20°C – 30°C? Protocol \$III.B.11.e.iv Was each tuning fork identified by a serial number or other unique identifier? Was each tuning fork subjected to a minimum of 2 observations that were averaged to calculate the mph equivalent? Protocol \$III.B.11.e.v Were calculations performed accurately? Protocol \$III.B.14.b Were all raw data recorded in ink or entered firety into a computer program? Protocol \$III.B.11.e.vi Were corrections to records documented with a single line through the original entry and dated and initialed by the person who made the	8		beginning and end of each certification test						
Protocol §III.B.11.e.iii recorded at beginning and end of each certification test batch? 1 Protocol §III.B.11.e.iv maintained within the range of 20°C – 30°C? 2 Protocol §III.B.15.a number or other unique identified by a serial number or other unique identifier? 3 Protocol §III.B.11.e.v Was each tuning fork subjected to a minimum of 2 observations that were averaged to calculate the mph equivalent? 4 Protocol §III.B.11.e.v Were calculations performed accurately? 5 Protocol §III.B.14.b directly into a computer program? 6 Protocol §III.B.11.e.vi Were corrections to records documented with a single line through the original entry and dated and initialed by the person who made the	9		evaluated to verify that the frequency of oscillation was within $\pm 0.5\%$ of that specified by the manufacturer or the most recent						
\$III.B.11.e.iv maintained within the range of 20°C – 30°C? Protocol \$III.B.15.a was each tuning fork identified by a serial number or other unique identifier? Protocol \$III.B.11.e.v was each tuning fork subjected to a minimum of 2 observations that were averaged to calculate the mph equivalent? Protocol \$III.B.11.e.v were calculations performed accurately? Protocol \$III.B.14.b was data recorded in ink or entered directly into a computer program? Protocol \$III.B.11.e.vi of their work? Were corrections to records documented with a single line through the original entry and dated and initialed by the person who made the	0		recorded at beginning and end of each						
\$III.B.15.a number or other unique identifier? Protocol \$III.B.11.e.v Protocol \$III.B.11.e.v Protocol \$III.B.11.e.v Were calculations performed accurately? Protocol \$III.B.14.b	1								
of 2 observations that were averaged to calculate the mph equivalent? Protocol §III.B.11.e.v Were calculations performed accurately? Protocol §III.B.14.b directly into a computer program? Protocol §III.B.11.e.vi Were carculations performed accurately? Were all raw data recorded in ink or entered directly into a computer program? Had the analysts initialed and dated each page of their work? Were corrections to records documented with a single line through the original entry and dated and initialed by the person who made the	2								
§III.B.11.e.v Were calculations performed accurately? Protocol Were all raw data recorded in ink or entered directly into a computer program? Protocol Had the analysts initialed and dated each page of their work? Were corrections to records documented with a single line through the original entry and dated and initialed by the person who made the	3		of 2 observations that were averaged to						
§III.B.14.b directly into a computer program? Protocol Had the analysts initialed and dated each page of their work? Were corrections to records documented with a single line through the original entry and dated and initialed by the person who made the	4		Were calculations performed accurately?						
§III.B.11.e.vi of their work? Were corrections to records documented with a single line through the original entry and dated and initialed by the person who made the	5			-					
Protocol single line through the original entry and dated \$III.B.14.b and initialed by the person who made the	6								
correction?	7		single line through the original entry and dated						

Title: TFC Inspection Checklist 1-7-2015 Document #:6954 Revision: 1 Date Published: 02/03/15 Issuing Authority: Group Manager

	Protocol for th	ne Certification of Laboratories Performing Tu	ning F	ork (Certification Testing			
Item	Reference	Requirement		No	Comments			
58	Protocol §III.B.11.f.i	Were completed certificates reviewed for transcription errors?						
69	Protocol §III.B.11.f.i	Was each review documented with the date and signature or initials of the reviewer?						
70	Did each certificate include the following? The serial number of each tuning fork The date testing was performed The frequency at which the tuning fork was found to oscillate The corresponding calculated MPH The radar frequency band within which the tuning fork was to be used The name and signature of the analyst who performed the testing The date, seal and signature of notarization							
	OBSERVATIO	ON OF TUNING FORK CERTIFICATION TEST	ING C	N SI	ГЕ			
71	Protocol §III.B.11.e.i	Were reference standards observed before and after the sample observation batch?						
72	§III.B.11.e.iii	Was temperature recorded at the beginning and end of the sample observation batch?						
73	§III.B.11.e.iv	end of the sample observation batch? Was the test environment maintained between 20° C and 30° C throughout the period of the tests? Was raw data recorded in ink (or directly						
74	§III.B.14.b.i	` `						
75	§III.B.11.e.v	Data reported as the average of a minimum of 2 observations of each tuning fork?						
76		Were the correct calculation factors applied to the averages of the observed frequency counts?	K band: mph=freq (Hz) x 0.013883 Ka band: mph=freq (Hz) x 0.0094455					
77	§III.B.11	Was the calibration procedure performed as written?						
Refere	ences K band Ka band	1	• • •		01 = Frequency (Hz) x 0.013883 7 = Frequency (Hz) x 0.0094455			

Title: TFC Inspection Checklist 1-7-2015 Document #:6954 Revision: 1 Date Published: 02/03/15 Issuing Authority: Group Manager

Notes/Comments								

CHECKLISTS ARE AN INTERVIEW/REVIEW TOOL USED BY ASSESSORS AND ARE NOT TO BE CONSIDERED AS A SUBSTITUTE FOR REQUIREMENTS OF THE PUBLISHED REFERENCE. CHECKLISTS ARE SUBJECT TO CHANGE.

Title: TFC Inspection Checklist 1-7-2015 Document #:6954 Revision: 1

Date Published: 02/03/15 Issuing Authority: Group Manager